

COIN

CABINET & SHELF LIGHT SERIES

A series of puck lights derived from ELR's Coin LED module, designated to illuminate objects on cabinets or shelves. Coin puck lights are available in both constant current and constant voltage variants, and comes in recessed, semi-recessed and surface mounted forms that suits different installation and application requirements.



Fixture Features



IP54

Module Colour Temperature Variation



ProART



WARM DIM

Beam Angle



Driver Dimming Variation



(ND)



(PH)



(24V)



(AN)




(DA)

COIN 24CV SURFACE


4.5W / 2W 24V DC CONSTANT VOLTAGE SURFACE
MOUNTED PUCK LIGHT



AVAILABLE OPTIONS

FIXTURE COLOUR OPTIONS	Trim Colour Options	Reflector Colour Options				
		MATT WHITE RAL9003	MATT BLACK RAL9011	CHROME	CHROME BLACK	CHROME GOLD
	MATT WHITE RAL9003					
	MATT BLACK RAL9011					
ACCESSORIES	 Honeycomb Anti-Glare Louvre (included)					
LED MODULE	SINGLE CCT  2700K  3000K  3500K  4000K  5000K  ProART  ProART98  20°  35°  60°					
DRIVER DIMMING	 (24V) <i>*Drivers for COIN-24CV are sold separately</i>					


DIMENSIONS (MM)



Family Type	Coin Series
Input Voltage	24V DC Constant Voltage
Input Power	4.5W, 2W
Lifetime	50,000 hours (80% lumen maintenance at Ta = 25°C), B10
Beam Angles	20°, 35°, 60°
Colour Temperatures	2700K, 3000K, 3500K, 4000K, 5000K
CRI	ProART (CRI~95)
SDCM	3 steps MacAdam ellipse binning

Driver (Dimming)	Compatible with phase (leading & trailing edge), 0-10V, DALI or DMX dimmable 24V DC constant voltage drivers
Materials	Aluminium, plastic
Fire Safety	Glow wire test 850°C, UL94V-0, VW-1
Flammability Mark	F
Ingress Protection	IP54
Standards	IEC 60598-1
Regulatory Markings	CE, RoHS
Weight	80g

COIN 24CV SURFACE



Fixture								LED Module														
Type	Shape		Colour		Reflector Colour		Accessories		Input Power		Beam Angle		Colour Temp		CRI							
COIN-24CV	S	Surface	WH	Matt White	WH	Matt White	AGL	Anti-Glare Louvre (incl.)	4	4.5W	20	20°	27	2700K	PA	ProART						
																	2	2W	35	35°	30	3000K
									60	60°	35	3500K										
													40	4000K								

*Drivers for COIN-24CV are sold separately.